

# HATCHERY HEALTHCARE LTD

Delivery and service to fit around you



PRODUCT BROCHURE

# Hatchery Healthcare Ltd



We supply a dedicated range of complimentary feeds including liquid vitamins, amino acid, probiotics, electrolytes and essential oils to be administered via the drinking water.

The aim of the range was to select or develop products that have been successfully tried and tested in the field and enable the customer to use a proactive and targeted approach to enhance productivity.

Our products are manufactured to GMP+ and FAMI-QS feed certification, giving you assurance on their quality

# CONTENT

Amino+™	1
Aspicin™	2
B Complex™	3
Breeze™	4
ChickStart™	5
Electro™	6
Electro C™	7
Herb-Gano™	8
Histovent™	9
GFS-Lacto™	10
GFS-Mix™	11
LC25™	12
Liquid D3™	13
Liquid D3 4x4™	14
Liquid Energy™	15
Multi™	16
Nutra+™	17
Phos+™	18
Spectrum™	19
Ultimate Calcium™	20
Ultimate D3 + Energy™	21
4t-fi™	22
4t-fi Organic™	23





## Amino+™

A liquid for short-term additional supplementation of vitamins, electrolytes and amino acids via drinking water for poultry.

**Animal Category:**

For all poultry and game.

**Indications for use:**

- Chicks or Poults.
- Cannibalism or feather pecking.
- Intestinal disorders or electrolyte balance.
- Drop in egg production.
- Stress or nervousness.
- Use when egg size is critical.
- Feed transitions to maintain optimum health and performance.

**Recommended dose:**

1 Litre per 1,000 Litres of drinking water over a period of 3-5 days, repetition as required.

**Pack size:**

1 Litre, 5 Litre

**Product Code:**

203167/00026/04

# Aspicin™

A liquid formulation containing willow bark and amino acids. Willow Bark is widely known for its pain relief, anti-inflammatory properties and also has an ability to reduce fevers and soothe the digestive tract.



## **Animal Category:**

For calves, pigs, poultry and game.

## **Indications for use:**

- For use during stressful situations and times of pain.
- Vaccination.
- Leg problems and fertility concerns.
- During an infectious period.
- Also contains electrolytes and amino acids.

## **Recommended dose:**

Calves: 3-4 ml/50kg BW/day for 3 to 5 days.

Pigs, poultry and game: 500ml to 1 Litre per 1,000 Litres of drinking water over a period of 5-10 days, repetition as required.

## **Pack size:**

1 Litre

## **Product Code:**

201997/00054/01



## B Complex™

A liquid complementary feed providing a comprehensive range of B vitamins for short term use.

**Animal Category:**

For all poultry and game.

**Indications for use:**

- During periods when additional 'B' vitamins are required such as stress.
- Decreased egg production and hatchability.
- Nervous disorders (bending back the head), increased irritability, uncoordinated movement or spasms.
- Abnormal skin changes and growth disorders can indicate a lack of vitamin B.

**Recommended dose:**

125 ml per 1,000 Litres of drinking water over a period of 2-3 days, repetition as required.

**Pack size:**

1 Litre

**Product Code:**

201280/00540/02

# Breeze™

A liquid formulation of natural expectorants and decongestants which help to reduce symptoms of a respiratory nature.



## **Animal Category:**

For calves, pigs, poultry and game.

## **Indications for use:**

- Support during respiratory disease.
- helps to clear airways.
- Expectorant and decongestant effect.
- During heat stress when birds are panting.
- Reactions after ILT vaccination.

## **Recommended dose:**

Chicks 100 ml per 1,000 Litres of drinking water.

Calves, pigs, poultry and game 100 - 200 ml per 1,000 Litres of drinking water over a period of 3-10 days, repetition as required.

## **Pack size:**

1 Litre

## **Product Code:**

201997/05002/07





## ChickStart™

A unique liquid formulation of L-carnitine, betaine, vitamins, electrolytes and essential amino acids for day old chicks.

**Animal Category:**

For all poultry and game.

**Indications for use:**

- Chicks and Poults.
- Stimulate early feed & water intake.
- Progeny from young parent flocks.
- Depressed growth/below weight.

**Recommended dose:**

1 Litre per 1,000 Litres of drinking water over a period of 3-5 days, repetition as required.

**Pack size:**

1 Litre, 5 Litre

**Product Code:**

201280/00070/08

# Electro™

A concentrated liquid of well-balanced electrolytes for use via drinking water for poultry.



**Animal Category:**

For all poultry and game.

**Indications for use:**

- Diarrhoea.
- Post medication treatment.
- Stress/nervousness.
- Before and after transportation.

**Recommended dose:**

1.5-2 Litre per 1,000 Litres of drinking water over a period of 3 -10 days, repetition as required.

**Pack size:**

1 Litre, 5 Litre

**Product Code:**

201280/00127/01



# Electro C™

A liquid with electrolytes and vitamin C for use via drinking water for poultry and suitable for organic use.



**Animal Category:**

For all poultry and game.

**Indications for use:**

- Diarrhoea and heat stress.
- Post medication treatment.
- Stress/nervousness.
- Before and after transportation.

**Recommended dose:**

1 Litre per 1,000 Litres of drinking water over a period of 3 -10 days, repetition as required.

**Pack size:**

1 Litre

**Product Code:**

201280/00129/07



# Herb-Gano™

A liquid with oregano oil for short term drinking water supplementation for pigs and poultry and is approved for restricted use by Organic Farmers & Growers certification scheme.



## **Animal Category:**

For pigs, poultry and game.

## **Indications for use:**

- Stimulates appetite and supports the immune system.
- helps to prevent Intestinal disorders, use during periods of diarrhoea.
- When coccidiosis is present.
- Ingredients are known to have anti-bacterial and anti-fungal properties.

## **Recommended dose:**

100 - 250 ml per 1,000 Litres of drinking water over a period of 3-10 days, repetition as required.

## **Pack size:**

1 Litre, 5 Litre

## **Product Code:**

201280/00510/02

# Histovent™

A liquid with plant extracts and essential oils for use via drinking water for pigs and poultry and is approved for restricted use by Organic Farmers & Growers certification scheme.



## **Animal Category:**

For pigs, poultry and game.

## **Indications for use:**

- Stimulates appetite and supports the immune system.
- When blackhead is suspected, poor growth, sudden death, ruffled feathers.
- helps to prevent Intestinal disorders.
- Use during periods of diarrhoea.
- Ingredients are known to have anti-protozoal and anti-bacterial properties.

## **Recommended dose:**

150 to 300 ml per 1,000 Litres of drinking water over a period of 5-7 days, repetition as required.

## **Pack size:**

1 Litre

## **Product Code:**

203167/30404/02



## GFS-Lacto™

A water soluble probiotic containing Lactobacillus acidophilus for broilers and laying hens for administration through the drinking water.

### **Animal Category:**

For commercial laying hens and broilers.

### **Indications for use:**

- For broilers and commercial laying hens.
- Supports the development of healthy intestinal micro-flora.
- Inhibits the colonisation of potential pathogenic bacteria.
- Regeneration of gut micro-flora after prescribed medication for E.Coli, Coccidia and Clostridia.

### **Recommended dose:**

100g per 1,000 Litres of drinking water.

### **Pack size:**

1 kg

### **Product Code:**

201096/03341/03

# GFS-Mix™

A water soluble probiotic containing *Enterococcus faecium* and *Bacillus subtilis* for drinking water supplementation for broilers.



## **Animal Category:**

Broilers.

## **Indications for use:**

- Supports the development of healthy intestinal micro-flora.
- Inhibits the colonisation of potential pathogenic bacteria.
- Regeneration of gut micro-flora after prescribed medication for E.Coli, Coccidia and Clostridia.
- When necrotic enteritis is suspected.

## **Recommended dose:**

170g per 1,000 Litres of drinking water.

## **Pack size:**

1 kg

## **Product Code:**

201096/00482/06



## LC25™

A specific liquid formulation with L-carnitine for poultry.

**Animal Category:**

For all poultry and game.

**Indications for use:**

- Increases energy metabolism and improves liver function.
- To improve production and egg yield.
- To increase fertility and hatchability.
- To increase sperm concentration and quality.
- If fatty liver is suspected.

**Recommended dose:**

Broilers, breeding hens, commercial layers and game birds 100-150 ml per 1,000 Litres of drinking water.

Breeders, male fertility 2 Litres per 1000 Litres of drinking water.

**Pack size:**

5 Litre

**Product Code:**

201280/00145/03



# Liquid D3™

A liquid premix with a high concentration of Vitamin D3 for poultry. (Approved manufacturers of feed only).



**Animal Category:**

For all poultry and game.

**Indications for use:**

- Rickets, retarded growth and leg weakness.
- Supports bone formation.
- Poor eggshell quality.

**Recommended dose:**

250 ml per 1,000 Litres of drinking water over a period of 2-5 days, repetition as required.

**Pack size:**

5 Litre, 25 Litre, 200 litre

**Product Code:**

201280/00210/04



# Liquid D3 4x4™

Vitamin D3, is known as the 'sunshine' vitamin. This product has been specially developed into a concentrated liquid premix. It is 4 times the strength normally found on the market. This reduces the in-use rate by 4 times so is more environmentally friendly with reduced packaging waste. (Approved manufacturers of feed only).

## **Animal Category:**

For use with all poultry.

## **Indications for use:**

- Helps to prevent rickets.
- Prevent retarded growth and leg weakness.
- Helps to support bone formation.
- Poor eggshell quality.
- Very high concentration of the sunshine vitamin D3

## **Recommended dose:**

60 ml per 1,000 Litres of drinking water over a period of 2-5 days, repetition as required.

## **Pack size:**

1 Litre, 5 Litre

## **Product Code:**

201997/09268/01



# Liquid Energy™

A liquid with L-carnitine, betaine and magnesium for short-term drinking water supplementation for poultry suitable for organic use.



**Animal Category:**

For all poultry and game.

**Indications for use:**

- Chicks and Poults.
- Depressed growth, poor starters and below weight.
- Start of lay to support liver and kidney metabolism.
- Drop in egg production and fatty liver syndrome.
- Feed transition, stimulates feed consumption.

**Recommended dose:**

1-2 Litres per 1,000 Litres of drinking water over a period of 3 -10 days, repetition as required.

**Pack size:**

1 Litre, 5 Litre, 25 Litre

**Product Code:**

203167/00030/01

# Multi™

A general purpose multi-vitamin liquid premix preparation for use in poultry. (Approved manufacturers of feed only).



## **Animal Category:**

For all poultry and game.

## **Indications for use:**

- At chick-start.
- In case of increased performance demands.
- When not eating, after transportation and during periods of stress.
- After antibiotic use, post vaccination.

## **Recommended dose:**

400 ml per 1,000 Litres of drinking water over a period of 2-5 days, repetition as required.

## **Pack size:**

1 Litre, 5 Litre, 25 Litre, 200 Litre

## **Product Code:**

201280/00150/17



## Nutra+™

A liquid formulation designed to help provide essential energy and stimulate digestive activity during periods of stress or suppressed feed intake.

**Animal Category:**

For all poultry and game.

**Indications for use:**

- Chick and Poult start 2nd to 5th day of life.
- Depressed growth, poor starters and below weight.
- When fatty liver is suspected.

**Recommended dose:**

1-2 Litres per 1,000 Litres of drinking water over a period of 2-5 days, repetition as required.

**Pack size:**

5 Litre, 25 Litre

**Product Code:**

201280/00530/02

# Phos+™

A Liquid formulation of phosphorus, calcium and trace elements for short-term additional drinking-water supplementation for poultry.



**Animal Category:**

For all poultry and game.

**Indications for use:**

- Tibial Dyschondroplasia.
- helps to improve bone formation and leg issues.
- Supports the intestinal flora.
- Lowers the pH of the drinking water.
- Increases egg shell quality.

**Recommended dose:**

1-2 Litres per 1,000 Litres of drinking water over a period of 3 -10 days, repetition as required.

**Pack size:**

1 Litre, 5 Litre

**Product Code:**

203167/00027/02

# Spectrum™

A general purpose multi-vitamin liquid premix preparation for use in poultry. (Approved manufacturers of feed only).



**Animal Category:**

For all poultry and game.

**Indications for use:**

- At chick-start.
- In case of increased performance demands.
- When not eating, after transportation and during periods of stress.
- After antibiotic use, post vaccination.

**Recommended dose:**

400 ml per 1,000 Litres of drinking water over a period of 2-5 days repetition as required.

**Pack size:**

1 Litre, 5 Litre

**Product Code:**

203167/00017/04

# Ultimate Calcium™

A water-soluble powder formulation of Calcium Pidolate for poultry.



## **Animal Category:**

For all poultry and game.

## **Indications for use:**

- Chick and Poult start 2nd to 3rd day of life.
- Cannibalism and feather pecking.
- Drop in egg production.
- Stress and Nervousness.
- Live transportation.

## **Recommended dose:**

Broilers, game birds and turkeys: 300g per 1000 Litres of drinking water.

Commercial layers and breeders: 100 to 300g per 1000 Litres of drinking water.

## **Pack size:**

1 kg

## **Product Code:**

201280/09905/01



# Ultimate D3 +Energy™

A liquid with an activated form of D3 and L-carnitine for use via drinking water for poultry suitable for organic use. (Approved manufacturers of feed only).



## Animal Category:

Broilers, breeder, commercial layers, turkeys and game birds

## Indications for use:

- Support early skeletal development in chicks.
- Increases energy metabolism and improves liver function.
- Promotes and regulates the deposition of calcium and phosphate in bones and egg shells.
- Rickets.

## Recommended dose:

Broilers, breeders, commercial layers, turkeys and game birds:  
100 ml per 1,000 Litres of drinking water.

## Pack size:

1 litre

## Product Code:

201280/00165/08

# 4t-fi™

A liquid premixture of formic acid a hygiene condition enhancer and the preservative sodium formate. Formic acid is an approved bacterial decontaminating agent and is used to improve the hygiene of feed. (Approved manufacturers of feed only).



## Animal Category:

For all poultry, game and pigs.

## Indications for use:

- To improve water and feed hygiene (anti-bacterial effect).
- To clean pipes and tanks & counteract formation of biofilms.
- For strong anti-microbial effects (Salmonella, E. coli, Campylobacter) in feed.
- Optimise feed efficiency (better digestion) improve performance.
- To improve boiler performance via the drinking water.

## Recommended dose:

Feed hygiene 2.0 - 7.0 Litres per tonne of feed.

Drinking water 0.5 - 1.0 Litre per 1000 Litres, target pH 4.5 (final dose dependent on water quality).

## Pack size:

8 kg, 272 kg, IBC of 1360 kg

## Product Code:

12029506



## 4t-fi Organic™

4t-fi Organic, is a liquid complementary feed. For use in periods of reduced feed intake to improve digestion and animal performance.

Can be used in organic production according to EC Regulations 834/2007 and EC 889/2008 and is certified by DE-ÖKO-006. 2% products of Organic production with 98% products of mineral or other origin.

### **Animal Category:**

For all poultry, game and pigs.

### **Indications for use:**

- To improve water hygiene (anti-bacterial effect).
- To clean pipes and tanks & counteract formation of biofilms.
- Optimise feed efficiency (better digestion) improve performance in pigs and poultry.
- To improve bird performance via the drinking water.
- Contains formic acid and sodium formate as preservatives.

### **Recommended dose:**

0.5 - 2.0 Litre per 1 tonne of complete feed/drinking water. Target pH 4.5 (final dose dependent on water quality).

### **Pack size:**

8 kg, 272 kg, IBC of 1325 kg

### **Product Code:**

6L 12029506 200L 12029521

# Hatchery Healthcare Ltd

Unit A1  
Sandford Industrial Park  
Sandford  
Whitchurch  
Shropshire  
SY10 8EN  
Tel: 01948 841412